



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/599,334	06/28/2007	Yasuyuki Goto	2150LT/100227	7073

32885 7590 01/05/2012
STITES & HARBISON PLLC
401 COMMERCE STREET
SUITE 800
NASHVILLE, TN 37219

EXAMINER

BOHATY, ANDREW K

ART UNIT	PAPER NUMBER
----------	--------------

1786

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

01/05/2012

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

richard.myers@stites.com
francine.vanaelst@stites.com
robin.avery@stites.com

Office Action Summary	Application No. 10/599,334	Applicant(s) GOTO ET AL.	
	Examiner ANDREW K. BOHATY	Art Unit 1786	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 November 2011.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ An election was made by the applicant in response to a restriction requirement set forth during the interview on ____; the restriction requirement and election have been incorporated into this action.
- 4) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 5) ☒ Claim(s) 7-22 is/are pending in the application.
- 5a) Of the above claim(s) 7-19 is/are withdrawn from consideration.
- 6) ☐ Claim(s) ____ is/are allowed.
- 7) ☒ Claim(s) 20-22 is/are rejected.
- 8) ☐ Claim(s) ____ is/are objected to.
- 9) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 10) ☐ The specification is objected to by the Examiner.
- 11) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 12) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. ____. |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>2011/12/08</u> . | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

1. This Office action is in response to the amendment filed November 28, 2011.

Claims 7-22 are pending, where claims 7-19 are withdrawn from consideration.

2. The examiner points out to the applicant section 821.04(a) of the MPEP which state " Where restriction was required between independent or distinct products, or between independent or distinct processes, and all claims directed to an elected invention are allowable, any restriction requirement between the elected invention and any nonelected invention that depends from or otherwise requires all the limitations of an allowable claim should be withdrawn. For example, a requirement for restriction should be withdrawn when a generic claim, linking claim, or subcombination claim is allowable and any previously withdrawn claim depends from or otherwise requires all the limitations thereof. Claims that require all the limitations of an allowable claim will be rejoined and fully examined for patentability in accordance with 37 CFR 1.104. Claims that do not require all the limitations of an allowable claim remain withdrawn from consideration." The examiner points out that for the process claims to be rejoined with the product claims the process claims need to be of the same scope as the product claims.

Response to Arguments

3. Applicant's arguments filed November 28, 2011 have been fully considered but they are not persuasive.

Art Unit: 1786

4. In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

5. In response to applicant's argument that there is no teaching, suggestion, or motivation to combine the references, the examiner recognizes that obviousness may be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988), *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992), and *KSR International Co. v. Teleflex, Inc.*, 550 U.S. 398, 82 USPQ2d 1385 (2007). In this case, Hosokawa specifically teaches why one of ordinary skill in the art would use spin coating over other film forming techniques, which is to reduce the number of pinholes in the layer (column 35 lines 6-31). Furthermore, Hosokawa teaches the layer formed on top of the hole transporting layer is made using spin coating as well (column 35 lines 32-60). This teaching by Hosokawa would motivate one of ordinary skill in the art to make the electron transporting layers using spin coating (a wet method).

6. Regarding applicant's arguments that the Declaration submitted does exhibit superior and unexpected results shown by the applicant would naturally flow from the combinations provided. The materials the applicant uses in both the hole

Art Unit: 1786

transporting layer and the electron transporting layer are known or obvious in the art; therefore, it would be obvious to use these materials in the applicant's claimed invention. Furthermore, Hosokawa teaches why one of ordinary skill in the art would use spin coating over other film forming techniques, which is to reduce the number of pinholes in the layer (column 35 lines 6-31). Therefore, the applicant's results of a reduction of pinholes is known in the art. Also, the examiner points out that the Declaration does not compare devices where the hole transporting material is composed of a material soluble in alcohols. Therefore, the applicant's argument is not persuasive.

7. In response to the applicant's argument that Hosokawa teaches away, a prior art reference that "teaches away" from the claimed invention is a significant factor to be considered in determining obviousness; however, "the nature of the teaching is highly relevant and must be weighed in substance. A known or obvious composition does not become patentable simply because it has been described as somewhat inferior to some other product for the same use." *In re Gurley*, 27 F.3d 551, 554, 31 USPQ2d 1130, 1132 (Fed. Cir. 1994) (Claims were directed to an epoxy resin based printed circuit material. A prior art reference disclosed a polyester-imide resin based printed circuit material, and taught that although epoxy resin based materials have acceptable stability and some degree of flexibility, they are inferior to polyester-imide resin based materials. The court held the claims would have been obvious over the prior art because the reference taught epoxy resin based material was useful for applicant's purpose,

Art Unit: 1786

applicant did not distinguish the claimed epoxy from the prior art epoxy, and applicant asserted no discovery beyond what was known to the art.).

8. Furthermore, “the prior art’s mere disclosure of more than one alternative does not constitute a teaching away from any of these alternatives because such disclosure does not criticize, discredit, or otherwise discourage the solution claimed....” In *re* Fulton, 391 F.3d 1195, 1201, 73 USPQ2d 1141, 1146 (Fed. Cir. 2004).

9. Hosokawa specifically teaches why one of ordinary skill in the art would use spin coating over other film forming techniques, which is to reduce the number of pinholes in the layer (column 35 lines 6-31). Furthermore, Hosokawa teaches the layer formed on top of the hole transporting layer is made using spin coating as well (column 35 lines 32-60). This teaching by Hosokawa would motivate one ordinary skill in the art to make the electron transporting layers using spin coating (a wet method).

10. In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971).

Claim Rejections - 35 USC § 103

11. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

12. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

13. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tamano et al. (US 5,811,834) (hereafter "Tamano") in view Doi et al. (WO 03/046108), where Tanaka et al. (US 2005/0106413) (hereafter "Tanaka") is used as the English equivalent and Hosokawa et al. (US 5,389,444) (hereafter "Hosokawa").

14. Regarding claim 20, Tamano teaches a light emitting device composed only of a hole injection layer and a light emitting layer disposed between the anode and the cathode; therefore, the light emitting layer is acting as the electron transporting layer as well (column 23 lines 39-55). Tamano teaches the light emitting layer can be composed of a phosphorus containing organic compound (compounds (35) and (36) column 23 lines 29-38). Compounds (35) and (36) are both nonionic and have molecular weights of 1401.53 g/mol and 1465.53 g/mol respectively. Compound (35) reads on applicant's

Art Unit: 1786

formula (1), where Ar^1 is a substituted aromatic ring residue (substituted phenyl group) and Ar^2 and Ar^3 and unsubstituted aromatic ring residues (phenyl groups). Tamano teaches that the light emitting layer can be made using a wet method and the solvent can be ethanol (column 25 lines 11-26). Tamano teaches that the hole injection layer can compose of electrically conductive polymers (column 49-67).

15. Tamano does not specifically teach an electrically conductive polymer that can be used in the hole injection layer that is insoluble in alcohols.

16. Tanaka teaches a light emitting device comprising an anode, a hole injection layer, a light emitting layer/electron transporting layer, and a cathode (paragraph [0178]). Tanaka teaches the hole injection layer is composed of PEDOT:PSS (paragraph [0178]). Tanaka teaches the PEDOT:PSS decreases the drive voltage and improves the hole injection efficiency of the electroluminescent device.

17. Hosokawa teaches that the spin coating method is preferred over other methods, including vapor deposition, because it leads to uniforms with fewer pinholes compared to the other methods (column 35 lines 6-31).

18. It would have been obvious to one of ordinary skill in the art at the time the invention was made to substitute electrically conductive polymer of Tamano for PEDOT:PSS as taught by Tanaka. The substitution would have been one known conductive polymer that can be used in the hole injection layer for another conductive polymer and would lead to the predictable results of using PEDOT:PSS as a hole injection material in a light emitting device. The motivation would have been to use a

Art Unit: 1786

hole injection material that decreases the drive voltage and improves the hole injection efficiency of the device.

19. Although Tanaka is silent on the solubility of PEDOT:PSS, PEDOT:PSS is a compound taught by the applicant that is not soluble in alcohols; therefore, PEDOT:PSS is inherently insoluble in alcohols.

20. The combination would lead to a device with an anode, a hole injection layer composed of PEDOT:PSS, which is insoluble in alcohols, a light emitting/electron transporting layer composed of a phosphorus containing compound, which is soluble in ethanol and can be deposited by a wet method, such as spin coating,, and a cathode as claimed. The motivation to make the layers using a spin coating method would be to lead to a layer with fewer pinholes that when made using different techniques.

21. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Murase et al. (JP2004-095221) (hereafter "Murase"), where a machine translation is used as an English language document, in view of Hosokawa et al. (US 5,389,444) (hereafter "Hosokawa").

22. Regarding claim 20, Murase teaches an electroluminescent device comprising an anode and a cathode and a hole transporting layer and an electron transporting layer found between the two electrodes (paragraphs [0005]). Murase teaches the hole transporting layer can be composed of NPD, which the applicant teaches as a hole transporting material that is not soluble in alcohols (paragraph [0015]). Murase teaches the electron transporting material can be a non-ionic phosphine compound and the

Art Unit: 1786

phosphine compound can have the following formula, formula (1), where Ar^1 , R^1 , and R^3 can be aryl groups, such as benzene, biphenyl, naphthyl, and phenanthrene (paragraphs [0028]-[0038] and [0043]), which meets applicant's formula (1). Murase teaches the electron transporting layer can be made by using spin coating a wet method (paragraph [0060]). Murase teaches electroluminescent devices that comprise the phosphine oxide have excellent thermal stability, high luminous efficiency, low drive voltage, and excellent color purity (paragraph [0078]).

23. Murase does not specifically teach an electroluminescent device comprising the applicant's claimed invention.

24. Hosokawa teaches that the spin coating method is preferred over other methods, including vapor deposition, because it leads to uniforms with fewer pinholes compared to the other methods (column 35 lines 6-31).

25. It would have been obvious to one of ordinary skill in the art at the time the invention was made to make an electroluminescent device comprising in order an anode, a hole transporting layer composed of NPD, an electron transporting layer composed of a phosphine oxide of Murase's formula (1), where Ar^1 , R^1 , and R^2 are an aryl group such as benzene, biphenyl, naphthyl, and phenanthrene, a cathode and where the electron transporting layer is formed using spin coating where the solvent is ethanol. The motivation would have been to make an electroluminescent device with excellent thermal stability, high luminous efficiency, low drive voltage, and excellent color purity. The motivation to use spin coating would have been to make a layer with fewer pinholes than other well known methods.

26. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Murase et al. (JP2004-095221) (hereafter "Murase"), where a machine translation is used as an English equivalent, in view of Spaochak et al. (WO 2005/073340) (hereafter "Spaochak") and Hosokawa et al. (US 5,389,444) (hereafter "Hosokawa").

27. Regarding claim 20, Murase teaches an electroluminescent device comprising an anode and a cathode and a hole transporting layer and an electron transporting layer found between the two electrodes (paragraphs [0005]). Murase teaches the hole transporting layer can be composed of NPD, which the applicant teaches as a hole transporting material that is not soluble in alcohols (paragraph [0015]). Murase teaches the electron transporting material can be a non-ionic phosphine compound and the phosphine compound can have the following formula, formula (1), where Ar^1 , R^1 , and R^3 can be aryl groups, such as benzene, biphenyl, naphthyl, and phenanthrene (paragraphs [0028]-[0038] and [0043]), which meets applicant's formula (1). Murase teaches the compounds can contain two phosphine oxides (formula (2)). Murase teaches the electron transporting layer can be made by using spin coating a wet method (paragraph [0060]). Murase teaches electroluminescent devices that comprise the phosphine oxide have excellent thermal stability, high luminous efficiency, low drive voltage, and excellent color purity (paragraph [0078]).

28. Murase does not specifically teach an electroluminescent device comprising the applicant's claimed invention.

Art Unit: 1786


29. Spaochak teaches electroluminescent devices that are comprised of compounds containing diphosphines and these diphosphine are electron transporting (page 13 lines 6-13). Spaochak teaches the phosphine compounds to have the following structures, PO1 and PO8 (Figure 3). PO1 and PO8 are the same as the applicant's compounds (6-1) and (6-3); therefore, PO1 and PO8 are inherently soluble in alcohols.

30. Hosokawa teaches that the spin coating method is preferred over other methods, including vapor deposition, because it leads to uniforms with fewer pinholes compared to the other methods (column 35 lines 6-31).

31. It would have been obvious to one of ordinary skill in the art at the time the invention was made to make at electroluminescent device comprising in order an anode, a hole transporting layer composed of NPD, an electron transporting layer composed of a phosphine oxide, a cathode and where the electron transporting layer is formed using spin coating where the solvent is ethanol. It would have been obvious to substitute the phosphine compounds of Murase for the phosphine compounds of Spaochak (PO1 and PO8). The substitution would have been one known electron transporting phosphine oxide for another, with the expected results of using phosphine oxides (PO1 and PO8) in the electron transporting layer of an electroluminescent device. The motivation to make the device with the phosphine compounds would have been to make an electroluminescent device with excellent thermal stability, high luminous efficiency, low drive voltage, and excellent color purity. The motivation to use spin coating would have been to make a layer with fewer pinholes than other well known methods.

32. Claims 20-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matsuura et al. (JP 2003-317965) (hereafter "Matsuura"), where a machine translation is used as an English equivalent, in view of Hosokawa et al. (US 5,389,444) (hereafter "Hosokawa").

33. Regarding claims 20-22, Matsuura teaches an electroluminescent device comprising an anode and a cathode and a hole transporting layer and an electron transporting layer found between the two electrodes (paragraphs [0079]). Matsuura teaches the hole transporting layer can be composed of NPD, which the applicant teaches as a hole transporting material that is not soluble in alcohols (paragraphs [0091] and [0092]). Matsuura teaches the electron transporting material can be a non-ionic phosphine compound and the phosphine compound can have the following formula, formula (2), where X can be oxygen and R_{21} - R_{23} can be aryl groups, such as phenyl (paragraphs [0017]-[0042] and [0044]). Matsuura teaches a similar formula (5), which is similar to formula (2), except that the X group is missing, but in both formulae R_{21} - R_{23} and R_{51} - R_{53} can be the same thing (paragraph [0068]). Matsuura teaches that



the following compound represents formula (5), (paragraph [0073]).

Matsuura teaches the electron transporting layer can be made using spin coating (paragraph [0099]). Matsuura teaches that electroluminescent devices that use these


Art Unit: 1786

phosphorous containing compounds have improved luminescence luminosity and lifetime (paragraph [0148]).

34. Matsuura does not specifically teach a compound that reads on applicant's formulas (2) and (3).


35. Hosokawa teaches that the spin coating method is preferred over other methods, including vapor deposition, because it leads to uniforms with fewer pinholes compared to the other methods (column 35 lines 6-31).

36. It would have been obvious to one of ordinary skill in the art at the time the invention was made to make a phosphine oxide compound with the following structure,




, and make an electroluminescent device comprising in order an

anode, a hole transporting layer composed of NPD, an electron transporting layer



composed of


and deposited using a spin coating method where an



alcohol is a solvent, and a cathode. The made compound,


, has a

structure that is similar to applicant formula (J), which the applicant's teaches is



inherently soluble in alcohols; therefore,

would be insoluble in



alcohols. Matsuura teaches a similar compound to

, but the

compound does not contain phosphine oxides, but Matsuura teaches that formula (2) and formula (5) only differ in that one contains an oxide; therefore, it would have been obvious to one of ordinary skill in the art to make the phosphine oxides in the compound taught by Matsuura. The motivation to make the electroluminescent device with the phosphine oxide would have been to improve luminescence luminosity and lifetime of the device. The motivation to use spin coating would have been to make a layer with fewer pinholes than other well known methods.

Conclusion

37. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

38. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

39. Any inquiry concerning this communication or earlier communications from the examiner should be directed to ANDREW K. BOHATY whose telephone number is (571)270-1148. The examiner can normally be reached on Monday through Thursday 8:00 am to 5:30 pm EST and every other Friday from 8:00 am to 4:30 pm EST.

40. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jennifer Chriss can be reached on (571)272-7783. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

41. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/599,334
Art Unit: 1786

Page 16

/A. K. B./
Andrew K. Bohaty
Patent Examiner, Art Unit 1786

/Lynda Salvatore/
Primary Examiner